
Mobile 3.7 kW charging station **JUICE OYSTER**




Simply take this ultra-light mobile charging station along with you. It's easy to charge your vehicle using the plug-and-play system.

The JUICE OYSTER lets you charge your single-phase electric car without having to push a single button.



www.juice-technology.com

JUICE OYSTER - mobile 3.7 kW charging station



car side

The JUICE OYSTER is compatible with all existing electric cars and every newly launched model with Type-GB charging connector

Sturdy cable
thanks to the optimally selected cable cross-section.

Over 6 meters long
so the generous length of the JUICE OYSTER offers you optimum flexibility in any parking space.

Made to last forever

Thanks to its high-quality aluminium housing, the JUICE OYSTER is not only extremely rugged, but also impressively light-weight, weighing in at only 800 grammes.

It makes charging care-free and easy – without even having to push a single button.



The JUICE OYSTER is available with both Chinese Type-I mains plugs, for 10-amp 16-amp sockets, as well as with a Type-G adaptor for Hong Kong.

flexibel



Waterproof
For any kind of weather.

Durability through quality

is also our motto for the permanently installed mains plug of the JUICE OYSTER.



Sturdy connector plug

Whether burning hot sun, torrential rain or icy winter – this interface is directly exposed to extreme weather conditions of every sort: it withstands everything.



Protective cap

While this protective cap may at first glance look like just a piece of rubber, it keeps the contacts clean, ensuring your connector stays functional for years to come.


Can withstand being run over
and not just the cable, but the unit housing as well.



Ultra-light
with a core weight of just 800 grammes.

Integral residual current detection
trips effectively at the specified value.

JUICE OYSTER - mobile 3.7 kW charging station



Consistently successfully tested

We guarantee: Compatible with all existing electric cars and every newly launched model with Type-GB charging connector.



Sturdy

Extremely stable aluminium housing, weather-resistant (connector: splashproof and dustproof, housing: fully waterproof).



No need for expensive installation

Plug in and simply charge your electric car on the go 100% mobile – no complex installations needed.



Technical specifications

Dimensions	Length: 270 mm, Width: 100 mm Height: 45 mm
Weight	Approx. 800 g without cable Approx. 2.5 g with cable and connector plug
Input current	Depends on permanently mounted mains plug 230 V, 6 – 16 A
Power output	Depends on input current 1.4 – 3.7 kW AC
Housing/Colour	Aluminium anthracite metallic, cable black
Operating temperature	-25°C bis +45°C

CE conformity	IEC 62752, 62196, 61851 – Mode 2, EMC, RoHS UL 2594-2016, UL 2231-1-2012, UL 2231-2-2012
Protection rating	IP67 - RCD DC 5 mA, AC/DC 20 mA - - RCD - protection
Mains-end Connector	Various connector plugs available for household power sockets, Lead cable 28 cm - 170 cm
Vehicle-end Connector	Type GB (GB/T 20234.2-2015) Cable length approx. 6 m, optional approx. 7.5 m

Subject to change without prior notice.